


ELECTRICAL DRAWINGS

Volume 3: Tender Drawings

^{Client:} Sierra Leone Field Office of the African Dvelopment Bank (ADB)	Project Title: Rehabilitation / Completion and Outfitting Work for Office Building	Drawing Title: Electrical Cover Sheet	R B Date: Drawn by:
	Regent Road, Hill Station, Freetown	1	Checked I
		Project status: Design: Tender: Y Contract / Construction:	Scale:

	Realini Bader Associates Limited	72 W	Vellington Street, Freetown	Architects Engineers Planners
	August, 2	016		
y:	Ν	ИLY	SL/ADB/E	-CS
۱b	y:	INY		
			Sheet Size:	A3
			05/1	1/0010 10-55-47

25/11/2016 16:55:47



Development Bank (ADB)

Basement Floor	
Screen Monitor Layout	

Drawing status: Design:

Contract / Construction:


Tender:

NOTES

Legend

—Wall Mounted Monitor Screen 13A Single Socket Mounted 2000mm above Final Floor Finished


R B	Realini Bader Associates Limited	Architec Engineer Planner 72 Wellington Street, Freetow		
Date:	October, 2016	SL/ADB/E-100		
Drawn by:	CG	JL/ADI	D/L-100	
Checked by	y: INY	Sheet Size:	A3	
Scale:	1:100	Printed on:	August, 2014	



Legend

Wall Mounted Monitor Screen 13A Single Socket Mounted 2000mm above Final Floor Finished


R B	Realini Bader Associates Limited	72 Wellingtor	Architects Engineers Planners n Street, Freetown
Date:	October, 2016		B/E-102
Drawn by:	CG	SL/ADI	5/2-102
Checked b	y: INY	Sheet Size:	A3
Scale:	1:100	Printed on:	August, 2014



Legend

13A Single Socket Mounted 2000mm above Final Floor Finished

RB	Realini Bader Associates Limited	72 Wellington	Architects Engineers Planners n Street, Freetown
Date:	October, 2016		B/E-103
Drawn by:	CG	JL/ADI	D/L-103
Checked b	y: INY	Sheet Size:	A3
Scale:	1:100	Printed on:	August, 2014





Project Title:	Drawing Title:	<u>No.</u>	Description	Date	
Rehabilitation / Completion and Outfitting Work for Office Building at Regent Road, Hill Station, Freetown For Sierra Leone Field Office of the African Development Bank (ADB)	Security Post Screen Monitor Layout	1.0	Description	dd-mm-yyyy	


-Wall Mounted Monitor Screen

13A Single Socket Mounted 2000mm above Final Floor Finished

R B	Realini Bader Associates Limited	72 Wellingto	Architects Engineers Planners n Street, Freetown
Date:	October, 2016	SL/ADB/E-104	
Drawn by:	CG	JL/AD	D/L-104
Checked by	/: INY	Sheet Size:	A3
Scale:	1:50	Printed on:	August, 2014








0x600 40w Recessed LED Ceiling Panel Lighting-IP44 nergency)
0x600 40w Recessed LED Ceiling Panel Lighting-IP44
w LED Ceiling Downlight
w LED Ceiling Downlight
Vatts Emergency Illuminated Exit Sign Box
Non-Maintained
GA TYPE no. 2743 impact resistance
ircase Wall Light
Amps 1gang 1way Light switch
mps 1gang 2way Light switch
mps 2gang 1way Light switch

RB	Realini Bader Associates Limited	72 Wellington	Architects Engineers Planners n Street, Freetown
Date:	October, 2016	SL/ADB/E-203	
Drawn by:	CG	JL/ADI	D/L-203
Checked by	y: INY	Sheet Size:	A3
Scale:	1:100	Printed on:	August, 2014



Legend

600x600 40w Recessed LED Ceiling Panel Lighting-IP44 (emergency)

-600x600 40w Recessed LED Ceiling Panel Lighting-IP44

- 20w LED Ceiling Downlight

– 18w LED Ceiling Downlight

8 Watts Emergency Illuminated Exit Sign Box 3Hr Non-Maintained

1200mm 36w Weatherproof fluorescent Light Fittings

_BEGA TYPE no. 2743 impact resistance Staircase Wall Light

-10Amps 1gang 1way Light switch

–10Amps 3gang 2way Light switch

-10Amps 2gang 1way Light switch

-10Amps 1gang 2way Light switch


_20 Amps Dawn to Dost photo cell light _____Switch to be located at high level

R B	Realini Bader Associates Limited	72 Wellingto	Architects Engineers Planners n Street, Freetown
Date:	October, 2016	SL/ADB/E-204	
Drawn by:	CG	SL/ADI	D/L-204
Checked by	/: INY	Sheet Size:	A3
Scale:	1:100	Printed on:	August, 2014

Contract / Construction:


Tender:

Drawing status: Design:




R B Realini Bader	Architects Engineers Planners
os 1gang 2way Light switch	
os 2gang 1way Light switch	
aps 1gang 1way Light switch	
a TYPE no. 2743 impact resistance case Wall Light	
tts Emergency Illuminated Exit Sign Box Non-Maintained	
LED Ceiling Downlight	
LED Ceiling Downlight	
600 40w Recessed LED Ceiling Panel Lighting	g-IP44
300 40w Recessed LED Ceiling Panel Lighting ergency)	g-IP44

R B	Realini Bader Associates Limited	72 Wellingto	Architects Engineers Planners n Street, Freetown	
Date:	October, 2016	SL/ADB/E-205		
Drawn by:	CG		D/L-203	
Checked b	y: INY	Sheet Size:	A3	
Scale:	1:100	Printed on:	August, 2014	



R B	Realini Bader Associates Limited	72 Wellington	Architects Engineers Planners n Street, Freetown
Date:	October, 2016		B/E-206
Drawn by:	CG	JL/ADI	D/L-200
Checked by	/: INY	Sheet Size:	A3
Scale:	1:50	Printed on:	August, 2014



Drawing status: Design:

Contract / Construction:

Tender:

NOTES

Legend


THORN AQUAFORCE II 1x36W T26 HF L840


THORN AQUAFORCE II 1x18W

10Amps 1gang 1way light switch


20 Amps Dawn to Dost photo cell light Switch to be located at high level

R B	Realini Bader Associates Limited	72 Wellingto	Architects Engineers Planners n Street, Freetown
Date:	October, 2016		B/E-207
Drawn by:	CG	JL/AD	D/L-207
Checked b	y: INY	Sheet Size:	A3
Scale:	1:50	Printed on:	August, 2014







R B	Realini Bader Associates Limited	72 Wellington	Architects Engineers Planners n Street, Freetown
Date:	October, 2016		
Drawn by:	CG	SL/AD	B/E-208
Checked b	y: INY	Sheet Size:	A3
Scale:	1 : 50	Printed on:	August, 2014



Project Title:	Drawing Title:	<u>No.</u>	Description	Date
		1.0	Description	dd-mm-yyyy
Rehabilitation / Completion and Outfitting Work for	Water Treatment Lighting			
Office Building at Regent Road, Hill Station, Freetown	and			
For Sierra Leone Field Office of the African	Socket Layout			
	Cocket Edyout			
Development Bank (ADB)				
		Drawi	ng status: Design: Tender: Contract /	Construction:


R B	Realini Bader Associates Limited	72 Wellingto	Architects Engineers Planners on Street, Freetown
Date:	October, 2016		
Drawn by:	CG	SL/AD	B/E-209
Checked b	y: INY	Sheet Size:	A3
Scale:	1 : 50	Printed on:	August, 2014






13Amps Double Socket outlet (UPS Power)
13Amps Double Socket outlet (Raw Power)
Voice / Data Outlet
125A 8 Way TP&N UPS Raw Power Distribution Board
100Amps TP&N Fuse Disconnector Switch
Hard Dryer
125Amps 8Way TP&N ups Power Distribution Board
weatherproof Outdoor Power Socket
3 Compartment Dado Trunking
250A 12-Way TP&N MCCB LV Panelboard
175kVA 3-PhaseVoltage Stabilizer

R B	Realini Bader Associates Limited	Architects Engineers Planners d 72 Wellington Street, Freetown		
Date:	October, 2016		B/E-302	
Drawn by:	CG	SL/ADB/E-302		
Checked by	y: INY	Sheet Size:	A3	
Scale:	1:100	Printed on:	August, 2014	




	 13Amps Double Socket outlet (UPS Power)
**	 13Amps Double Socket outlet (Raw Power)
	 Standard Modular Floor Box
	 125A 8Way TP&N Raw Power Distribution Board
4	 45A Cooker Outlet
1	 Hard Dryer
00	 Voice / Data Outlet
	3 Compartment Dado Trunking

RB	Realini Bader Associates Limited	Architects Engineers Planners d 72 Wellington Street, Freetowr		
Date:	October, 2016	SL/ADB/E-303		
Drawn by:	CG	JL/ADI	D/L-303	
Checked b	y: INY	Sheet Size:	A3	
Scale:	1:100	Printed on:	August, 2014	




- ------ 13Amps Double Socket outlet (UPS Power)
- ------ 13Amps Double Socket outlet (Raw Power)
- ------ Voice / Data Outlet
- 125A 4 Way TP&N Raw Power Distribution Board
- ——— Hand Dryer
- 45A Cooker Outlet
- _____ 3 Compartment Dado Trunking

R B	Realini Bader Associates Limited	Architects Engineers Planners d 72 Wellington Street, Freetown			
Date:	October, 2016	SL/ADB/E-304			
Drawn by:	CG	JL/AD	D/L-304		
Checked by	y: INY	Sheet Size:	A3		
Scale:	1:100	Printed on:	August, 2014		



Project Title:	Drawing Title:	<u>No.</u>	Description	Date
		1.0	Description	dd-mm-yyyy
Rehabilitation / Completion and Outfitting Work for	Security Post			
Office Building at Regent Road, Hill Station, Freetown	Small Power	<u> </u>		
For Sierra Leone Field Office of the African	Requirement Voice			
Development Bank (ADB)	/ Data Layout			
		Drawi	ng status: Design: Tender: Contract / C	Construction:

RB	Realini Bader Associates Limited	Architec Enginee Planne d 72 Wellington Street, Freetow	
Date:	October, 2016	SL/ADB/E-305	
Drawn by:	CG		
Checked b	y: INY	Sheet Size:	A3
Scale:	1:50	Printed on:	August, 2014





____ weatherproof Outdoor Power Socket

- 13Amps Double Socket outlet (UPS Power)
- 13Amps Double Socket outlet (Raw Power)

- Voice / Data Outlet

125A 8Way TP&N Raw Power Distribution Board


EDSA Prepaid Meter

R B	Realini Bader Associates Limited	72 Wellingto	Architects Engineers Planners n Street, Freetown
Date:	October, 2016		
Drawn by:	CG	SL/AD	B/E-306
Checked b	y: INY	Sheet Size:	A3
Scale:	1 : 50	Printed on:	August, 2014




- foundation bars for using as connection point with cable shoe


R B	Realini Bader Associates Limited	Architec Engineer Planner d 72 Wellington Street, Freetow		
Date:	October, 2016	SL/ADB/E-401		
Drawn by:	CG	SL/ADD/E-401		
Checked b	y: INY	Sheet Size:	A3	
Scale:	1:250	Printed on:	August, 2014	



R B	Bader Associates Limited	72 Wellingto	Engineers Planners n Street, Freetown
Date:	October, 2016	- SL/ADB/E-402	
Drawn by:	CG		
Checked by	INY	Sheet Size:	A3
Scale:	1:100	Printed on:	August, 2014


EARTH PIT







RB	Realini Bader Associates Limited	Architect Engineer Planner 72 Wellington Street, Freetow		
Date:	October, 2016	SL/ADB/E-403		
Drawn by:	CG	- SL/ADD/E-403		
Checked b	y: INY	Sheet Size:	A3	
Scale:	1:50	Printed on:	August, 2014	



LEGEND


Clamp: connecting copper conductor to earth rod

- cylindrical part, to be welded to steel structure or foundation bars for using as connection point with cable shoe
- Clamp: connecting copper conductor to copper conductor or $Y/G\xspace$ wire
- Equipotentializing bonding bar EBB-X: EBB NAME
- 70mm² Bare Stranded copper conductor
- $50 \mathrm{mm}^2 \mathrm{Bare} \mathrm{Stranded} \mathrm{copper} \mathrm{cable}$

1800mm Pure Copper Earth Rod to BS6651

U-Bolt

R B	Realini Bader Associates Limited	72 Wellington	Architects Engineers Planners n Street, Freetown
Date:	October, 2016	- SL/ADB/E-404	
Drawn by:	CG		
Checked b	y: INY	Sheet Size:	A3
Scale:	1:50	Printed on:	August, 2014




—Air Terminal

—Air Terminal Base

-25x3mm Insulated Flat Copper Tape

To Lightning Conductor Earth Pit

R B	Realini Bader Associates Limited	Architec Engineer Planner d 72 Wellington Street, Freetow	
Date:	October, 2016	SL/ADB/E-405	
Drawn by:	CG		
Checked b	y: INY	Sheet Size:	A3
Scale:	1:100	Printed on:	August, 2014



LEGEND

Clamp: connecting copper conductor to earth rod

cylindrical part, to be welded to steel structure or foundation bars for using as connection point with cable shoe

Clamp: connecting copper conductor to copper conductor or


Equipotentializing bonding bar EBB-X: EBB NAME

70mm² Bare Stranded copper conductor

50mm² Bare Stranded copper cable

1800mm Pure Copper Earth Rod to BS6651

R B	Realini Bader Associates Limited	Architec Engineer Planner d 72 Wellington Street, Freetow		
Date:	October, 2016	SL/ADB/E-406		
Drawn by:	CG	- SL/ADD/E-400		
Checked b	y: INY	Sheet Size:	A3	
Scale:	1:50	Printed on:	August, 2014	



LEGEND Clamp: connecting copper conductor to earth rod cylindrical part, to be welded to steel structure or undation bars for using as connection point with cable shoe Clamp: connecting copper conductor to copper conductor or Y/G wire

Equipotentializing bonding bar EBB-X: EBB NAME

 $70 \mathrm{mm}^2$ Bare Stranded copper conductor

1800mm Pure Copper Earth Rod to BS6651

50mm² Bare Stranded copper cable

 \oplus


Ο

ሪ

Ø 0

U-Bolt

R B	Realini Bader Associates Limited	Archite Engine Planne ed 72 Wellington Street, Freeto	
Date:	October, 2016		
Drawn by:	CG	SL/AD	B/E-407
Checked by	y: INY	Sheet Size:	A3
Scale:	1 : 100	Printed on:	August, 2014




Office Building at Regent Road, Hill Station, Freetown For Sierra Leone Field Office of the African Development Bank (ADB)

g	1.0	Descri	otion	
Elevation				
Lighten Protection System				
Lightern Frotection System				
	Drawin	ig status:	Design:	

Contract / Construction:

Tender:

R B	Realini Bader Associates Limited	72 Wellingto	Architects Engineers Planners n Street, Freetown
Date:	October, 2016		
Drawn by:	CG	SL/AD	B/E-408
Checked b	y: INY	Sheet Size:	A3
Scale:	1 : 100	Printed on:	August, 2014




LEGEND



250W - 1650mm x 992mm x 40mm Roof Mounted Solar Panel

— Maintenance Manhole

R B	Realini Bader Associates Limited	Architects Engineers Planners 72 Wellington Street, Freetown			
Date:	October, 2016	SL/ADB/E-501			
Drawn by:	CG				
Checked b	y: INY	Sheet Size:	A3		
Scale:	1:100	Printed on:	August, 2014		




LEGEND

250W - 1650mm x 992mm x 40mm Roof Mounted Solar Panel

Maintenance Manhole


R B	Realini Bader Associates Limited	Architects Engineers Planners 72 Wellington Street, Freetowr			
Date:	October, 2016	SL/ADB/E-502			
Drawn by:	CG				
Checked b	y: INY	Sheet Size:	A3		
Scale:	1:50	Printed on:	August, 2014		



LEGEND

HOPPECKE VRL 1700 Batteries 215mmx277mmx855mm

R B	Realini Bader Associates Limited	Architects Engineers Planners 72 Wellington Street, Freetown				
Date:	October, 2016	SL/ADB/E-503				
Drawn by:	CG	3L/ADD/L-303				
Checked b	y: INY	Sheet Size:	A3			
Scale:	1:50	Printed on:	August, 2014			



Legend

G1 - 175 kVA Main Generator Set G2 - 175 kVA Standby Generator Set

ATS 1 - 250Automatic Transfer Switch 1

ATS 1 - 250Automatic Transfer Switch 2

VS - Voltage Stabilizer


M 1 - Utility (EDSA) Monitory Meter


DB 1-7 - 125A, 8way TP&N Distribution Board (Raw Power)

UPS DB 1-3 - 125A, 8way TP&N Distribution Board (UPS Power)

DB 4 - 125A, 8way TP&N Distribution Board

RB	Realini Bader Associates Limited	Architects Engineers Planners 72 Wellington Street, Freetown			
Date:	October, 2016	SL/ADB/E-504			
Drawn by:	CG				
Checked b	y: INY	Sheet Size:	A3		
Scale:	1:30	Printed on:	August, 2014		





roject Title:	Drawing Title:	<u>No.</u>	Description	Date	
Rehabilitation / Completion and Outfitting Work for Office Building at Regent Road, Hill Station, Freetown For Sierra Leone Field Office of the African Development Bank (ADB)	Block Schematic For a "Hybrid" - Solar Electric, Generator & Utility Supply combination System	1.0	Description	dd-mm-yyyy	

R B	Realini Bader Associates Limited	Architects Engineers Planners 72 Wellington Street, Freetown				
Date:	October, 2016	SL/ADB/E-505				
Drawn by:	CG	3L/ADD/L-303				
Checked b	y: INY	Sheet Size:	A3			
Scale:	1:20	Printed on:	August, 2014			